



# Stock and Trim Free

Product Guide



# Program Specifications

- Stocked items require a MOQ of 1 master width x 2,500 lineal feet on all Beontag pressure sensitive or non-pressure sensitive products.
- Minimum 3" slit width on stock products and trim free orders.
- Roll lengths of trim free items are listed as follows: **TF2.5:** Trim free 2,500' / **TF5:** Trim free 5,000' / **TF7.5:** Trim free 7,500' / **TF10:** Trim free 10,000' (Minimum 4" slit width required)
- Trim free roll length policy: Trim free rolls are produced to the precise length as standard policy. However, some rolls may be over or under the specific trim free roll length to avoid splices near the end of production rolls.
- Pre-Slit Program: Variable widths are available for purchase and marked as PS in the chart. Please contact your sales rep for more information.
- Terms & Conditions of sale and product warranty information are available online at [www.beontag.com](http://www.beontag.com).

## Film Products

⊕	ITEM	FACE STOCK	ADHESIVE	LINER	OH	IN	CA
POLYPROPYLENE	81000	2 mil Metallized Clear TC Polypropylene	TS523	40# SCK	-	-	30
	75772	2 mil Crystal Clear Polypropylene	TS523	40# SCK	-	52 · TF5	52 · TF5
	75776	2 mil Crystal Clear Polypropylene	AT333	40# SCK	-	-	30 · 52 · TF5
	95294	2.3 mil Pearl White Polypropylene	TS523	40# SCK	52 · TF10	-	52 · TF10
	72133	2.3 mil Polar White Polypropylene	TS523	40# SCK	-	52 · 54 · TF5	52
	95293	2.3 mil Pearl White Polypropylene	AT333	40# SCK	-	52 · TF10	52 · TF10
	72135	2.3 mil Polar White Polypropylene	AT333	40# SCK	-	-	52 · 54 · TF10
	87761	2.3 mil Pearl White Polypropylene	TP750	40# SCK	52 · TF10	-	-
	82673	2.3 mil Pearl White Polypropylene	Sub Zero	40# SCK	52 · TF10	-	-
	95326	2.6 mil Pearl White Polypropylene	TS523	40# SCK	52 · TF5	-	52 · TF5
	95324	2.6 mil Pearl White Polypropylene	AT333	40# SCK	52	-	52
	9974345	2.6 mil Techni-Sheen White TC Polypropylene	TS523	40# SCK	-	60 · TF5	-
THERMAL	86635	White Polypropylene Thermal Transfer	TS523	40# SCK	-	52	52
	86640	White Polypropylene Thermal Transfer	TR440	40# SCK	-	52 · 60	-
	992601	White Polypropylene Thermal Transfer	AT333 hcwt	40# SCK	-	52	52
	86620	White Polypropylene Thermal Transfer	AT333	40# SCK	-	60	-
	86106	White Polypropylene Direct Thermal	AT333	40# SCK	-	60 · TF5	60 · TF5
	186932	4 mil White Polypropylene Direct Thermal	AT333	40# SCK	52 <b>NEW!</b>	-	52 <b>NEW!</b>
POLYESTER	4801	2 mil Bright Silver Polyester <b>(UL LISTED)</b>	TS523	50# SCK	27	-	-
	4631	2 mil Matte Silver CP Polyester <b>(UL LISTED)</b>	TS523	50# SCK	27	-	-
	8321	2 mil Gloss White TC Polyester	TS523	50# SCK	27	-	-
	82384	2 mil Rainbow Seamless Holographic Polyester	TS523	50# SCK	-	-	30
STYR.	4975	2 mil Clear Polystyrene	AT333	40# SCK	52 · TF5	-	-
VINYL	4911	4 mil Flexible White TC Vinyl	TS523	50# SCK	30 · 54 · TF2.5	-	54 · TF2.5
	4279	4 mil Flexible White TC Vinyl	TL250	50# SCK	27	-	-
SPECIALTY FILMS	877575	3 mil Polyart®	TS583	40# SCK	52	-	-
	78005	3.6 mil C1S Polyart®	AT333	50# SCK	52	-	-
	74640	3.7 mil Smudge Kimdura® TC	TS523	50# SCK	27	-	30
	4771	Tyvek® 1073D	TS523	50# SCK	52	-	52
	42996	Technicote IRC Film Base	AT333	40# SCK	30 · TF5 <b>NEW!</b>	-	-

# Paper Products

+	ITEM	FACE STOCK	ADHESIVE	LINER	OH	IN	CA
EDP	4407289	Bright White EDP	AP151	50# SCK	-	-	30
	9009229	Bright White EDP	TP160 	50# SCK	-	52	-
	77665	Bright White EDP	AT150	50# SCK	-	54 · TF10	-
LASER	559582	50# Radiant White Laser	TP170	3.4 LF	52	-	-
	87311	50# Radiant White Laser	AT150	3.4 LF	-	52 · TF10	-
	69582	50# Radiant White Laser	TP170	2.5 LF	-	52	-
	69586	50# Radiant White Laser	TS523	2.5 LF	-	52	-
	559583	50# Radiant White Laser	TR440	3.4 LF	52	-	-
MATTE	7297	60# Matte Litho	AP151	40# SCK	-	52 · TF5	52
THERMAL TRANSFER	88516	Techni-Therm V	TP050	2.1 MIL BG	26 · 52.5 · TF10	-	-
	78297	Techni-Therm III	TM-55	40# SCK	26 · 30	-	-
	72018	Techni-Therm SP	AT150	40# SCK	-	52 · 60 · TF10 · TF15	52 · TF10
	86454	Techni-Therm SP	AT333	40# SCK	-	52 · 60	52 · 60 · TF10
	79000	Techni-Therm III	Sub Zero	40# SCK	52 · TF10	-	-
	73001	Techni-Therm SP	TP160 	40# SCK	-	52 · 60 · TF5 · TF10	52 · 60 · TF10
	73004	Techni-Therm SP	AP151	40# SCK	-	52 · 60 · TF5	-
	73031	Techni-Therm SP	AP151 Opq	40# SCK	-	52 · TF10	52
	73026	Techni-Therm SP	TR440	40# SCK	-	52 · 54 · TF10	52 · TF10
	73022	Techni-Therm SP	TR447	40# SCK	52	-	-
DIRECT THERMAL	881936	Techni-Therm Direct NTC	TP750	1.7 mil Glassine	52	-	-
	871952	Techni-Therm Direct NTC	AT150	40# SCK	-	52 · 60 · TF10	52 · TF10
	881476	Techni-Therm Direct NTC	TR440	40# SCK	-	52	-
	88513	Techni-Therm Direct II NTC	TP050	2.1 MIL BG	26 · 52.5 · TF10	-	-
	88515	Techni-Therm Direct II TC	TP050	2.1 MIL BG	26 · 52.5 · TF10	-	-
	97548	Techni-Therm Direct II WS	Sub Zero	40# SCK	52	-	-
	991843	Techni-Therm Direct II WS	AT150	40# SCK	-	52 · 60 · TF10	52 · TF10
	68693	Techni-Therm Direct RX	TS523	40# SCK	-	52	-
METALLIZED/FOIL	151080	60# Bright Silver Laminated Foil	AP151	40# SCK	60	-	-
	90801	60# Bright Silver Laminated Foil	AT150	40# SCK	52	-	-
	151021	60# Bright Gold Laminated Foil	AP151	40# SCK	-	-	52
	88805	60# Bright Silver Metallized Paper	AT150	40# SCK	-	60	-
FLUORESCENT	151023	60# Red Fluorescent	AP151	40# SCK	-	60	-
	83510	60# Red Fluorescent	AT150	40# SCK	-	60 · TF5	-
	151024	60# Orange Fluorescent	AP151	40# SCK	-	60	-
	151025	60# Green Fluorescent	AP151	40# SCK	-	60	-
	78222	Solar Yellow Label	TM55 @ .8	40# SCK	30	-	-
	151033	50# Brown Kraft	AP151	40# SCK	-	52	52

 Beontag's TP160 has been tested accordingly to the TLMI-LRP2 Recycling Lab Testing protocol and passes specifications for paper labels coated with environmentally benign pressure sensitive adhesives.

## Paper Products (continued)

	ITEM	FACE STOCK	ADHESIVE	LINER	OH	IN	CA
HI GLOSS	89936	Technigloss II	AP151 Opq	40# SCK	—	60	60
	89932	Technigloss II	AP151	40# SCK	—	52 · 60 · TF5	60
	89937	Technigloss II	AT333	40# SCK	—	—	52 · 60
SEMI-GLOSS	88218	50# Semigloss	AT150	40# SCK	—	—	52
	88020	55# HiBright Semigloss FSC®	AT150	40# SCK	—	52 · 60 · TF5 · TF10	52 · 60 · TF10
	88021	55# HiBright Semigloss FSC®	AT333	40# SCK	—	52 · 60 · TF10	—
	8021	55# HiBright Semigloss	AP151	40# SCK	—	52 · 60 · TF10	—
	88512	54# HiBright Semigloss	TP050	2.1 MIL BG	26 · 52.5 · TF10	—	—
	88264	55# HiBright Semigloss	Sub Zero	40# SCK	52 · TF5	—	—
	78139	60# Ultra White Semigloss	AT150	40# SCK	—	52 · 60 · TF10	—
	78140	60# Ultra White Semigloss	AT333	40# SCK	—	52 · 60 · TF10	52 · 60 · TF7.5 · TF10
	876280	60# Ultra White Semigloss	AT333	1.2 PET	52	—	—
	776000	60# Ultra White Semigloss FSC®	TR440	40# SCK	—	52 · 60 · TF10	—
	78179	60# Ultra White Semigloss	TP170	40# SCK	—	52	—
	78226	60# Ultra White Semigloss	AP151	40# SCK	—	52 · 60 · TF10	52 · 60
	171106	60# Ultra White Semigloss	AP151 Opq	40# SCK	—	52	—
	78275	60# Ultra White Semigloss	TM-55	40# SCK	26 · 30	—	—
	73446	60# Ultra White Semigloss	TP500 hcwt	40# SCK	52	—	52 · TF7.5
	79231	60# Ultra White Semigloss	TR-1	40# SCK	52	—	52
	WINE LABEL	79934	Technigloss II	IP400	1.2 PET	—	—
87738		Classic Crest Solar White WS	IP400	1.2 PET	—	—	26 <b>NEW!</b>
78883		60# Classic Crest Solar White Felt WS	IP400	1.2 PET	—	—	26 <b>NEW!</b>
80004		#4 White Estate Label	IP400	1.2 PET	—	—	26 <b>NEW!</b>
80008		60# Engraved Estate #8	IP400	1.2 PET	—	—	26 <b>NEW!</b>

## Digital & Inkjet Products

	ITEM	FACE STOCK	ADHESIVE	LINER	OH	IN	CA
INDIGO	681024	2 mil Storm Clear BOPP	TS523 LPG	40# SCK	—	52" / 13" 5,000'	52" / 13" 5,000'
	972122	2.3 mil Storm White BOPP	TS523 LPG	40# SCK	—	52" / 13" 5,000'	52" / 13" 5,000'
	991546	2 mil Storm Metallized BOPP	TS523 LPG	40# SCK	—	52" / 13" 5,000'	52" / 13" 5,000'
INKJET	151080	60# Bright Silver UV Inkjet Laminated Foil	AP151	40# SCK	60	—	—
	81000	2 mil Metallized Clear TC UV Inkjet Polypropylene	TS523	40# SCK	—	—	30
	95294	2.3 mil Pearl White UV Inkjet Polypropylene	TS523	40# SCK	52 · TF10	—	52 · TF10
	95326	2.6 mil Pearl White UV Inkjet Polypropylene	TS523	40# SCK	52 · TF5	—	52 · TF5
	72133	2.3 mil Polar White UV Inkjet Polypropylene	TS523	40# SCK	—	52 · 54 · TF5	52
	4911	4 mil Flexible White TC UV Inkjet Vinyl	TS523	50# SCK	30 · 54 · TF2.5	—	54 · TF2.5
	75772	2 mil Crystal Clear UV Inkjet Polypropylene	TS523	40# SCK	—	52 · TF5	52 · TF5
8321	2 mil Gloss White TC UV Inkjet Polyester	TS523	50# SCK	27	—	—	

## Non-PS Products

	ITEM	FACE STOCK	ADHESIVE	LINER	OH	IN	CA
NON-PRESSURE SENSITIVE	410088	Techni-Therm HS	-	-	26 · 30 · 52	52 · 60	-
	5512057	Techni-Therm Direct NTC	-	-	-	60	-
	712057	Techni-Therm Direct TC WS	-	-	26 · 30 · 52	-	-
	812058	Techni-Therm Direct TC II WS	-	-	-	52 · 60	-
	710030	60# C1S Ultra White Semigloss	-	-	26 · 30 · 52 · 60	52 · 60	-
	710031	55# HiBright Semigloss	-	-	52	52 · 60	-
	810055	50# Radiant White Laser	-	-	30 · 52	52 · 54 · 60	-
	10040	60# C1S Matte Litho	-	-	26 · 30 · 52	52 · 60	-
	810100	8 pt. C1S Tag	-	-	30 · 52	-	-
	310135	10 pt. C1S Tag	-	-	30	52	-
	870979	12 pt. C1S Tag	-	-	-	-	52
	90085	7 mil C1S Thermal Transfer Tag	-	-	52	52	-
	70192	7 mil C1S Direct Thermal TC Tag	-	-	-	60	-
	66299	2.6 mil Matte White Thermal Transfer Polypropylene	-	-	30 · 52	52 · 60	-
	771266	White Polypropylene Direct Thermal	-	-	30	52 · 60	-
	12077	3.6 mil C1S Polyart®	-	-	27 · 30 · 52	52	-
	12011	3.0 mil C1S Polyart®	-	-	30 · 52	52	-
	712381	3.7 mil Smudgeproof Kimdura	-	-	27 · 30	-	-
	12400	Tyvek® 1073D	-	-	26 · 30 · 52	-	-
	70100	7.0 mil C2S White Lumbertuff	-	-	52	-	-
	70015	7.5 mil Uncoated Lumbertuff	-	-	-	52	52
	70089	6 mil White Synthetic Paper	-	-	52	-	-
	70090	8 mil White Synthetic Paper	-	-	-	52	-
	70091	10 mil White Synthetic Paper	-	-	-	52	-

For more information, call us at (800) 358-4448  
or check out the website of our North American  
operation: [www.technicote.com](http://www.technicote.com)